



Visualize a published system sheet

FNP system

FNP number : 1135

Index FNP : S002

Last publication : 17/09/2024

State : PUBLISHED

Supplier : RESIPOLY CHRYSOR

Total thickness : 1525 µm

public comment EN : June 2nd, 2023 : First publication of the system *****WARNING***** The product NOVASSOL EPU-R is classified CMR2 according to the European Union CLP regulation. In order to apply this product safely, it is necessary to carry out a risk analysis and to put in place suitable collective and individual protections. *****WARNING***** In the case of sanding and / or grinding after hardening of the product NOVASSOL EPU or NOVASSOL EPU-R loaded with silica sand HN38, respirable silica dust may be emitted: wear a P3 mask ! The architecture reproduced in the list of layers is one of the possible options offered by the technical datasheet: - Depending on the desired reactivity, NOVASSOL EPU-R can be used instead of NOVASSOL EPU. - Depending on the state of the support, when the substrate is very open and/or very porous, the layer of NOVASSOL EPU (or NOVASSOL EPU-R) is loaded with HN38 silica sand.

intern comment : 02/06/2023 : première publication, motivée par la substitution des NOVASSOL EP 302 / NOVASSOL EP 302R par les produits NOVASSOL EPU / NOVASSOL EPU-R. Attention le NOVASSOL EPU-R est classé CMR2 à cause de la présence dans les durcisseurs d'acide salicylique à une concentration >3% et donc classé (H361d : susceptible de nuire au fœtus). La présentation des fiches techniques suit la refonte opérée sur les réf 1131-1136-1137

Utilities type : PARC NUCLEAIRE

Technical sheet : [FT FNP1135_ENG_nov 2022.pdf](#)

Codifications published

Série	Groupe
	350

Coat list

Coat number	Product name	Thickness	Nature of the binder	Type of phase	Proportion of solvent
1	NOVASSOL EPU	200 g/m ²	EPOXY	SV	0.5
2	NOVAFILL EP 23 D	400 g/m ²	EPOXY	SV	0.7
3	NOVADUR 1060 T	1100 µm	EPOXY	SV	1
4	-----				
5	NOVASSOL EPU-R	Version plus réactive	EPOXY	SV	0.5
6	SABLE SILICEUX HN 38	Charges			
7	RESISOLV E	Solvant (nettoyage des outils)			
8	DILUANT PU41				