# Visualize a published system sheet

## FNP system

**FNP number :** 305

**Index FNP :** S006

**Last publication :** 2024/03/14

**State :** PUBLISHED

**Supplier :** MAX PERLES

**Total thickness :** 500.0 µm

**public comment EN :** Nov 3rd, 2023: the multifunction primer “Impression W” is renamed “Impression W1” following solvent reformulation. The DI/TEGG note ref. D309520005752 validated the qualification maintaining of all the FNP systems concerned. It should also be noted that the trade name of "Impression W1" at international level is "Primer W1" and that there is no difference of any kind between these two primers. Finally, the Render EDO is deleted from FT n°0 from its revision 12: in practice, it has not been used for years. Render AR100 is preferred, which is also qualified and fulfills the same functions, whether for heavy leveling or for fine raking. April 27th, 2022: the DI/TEGG note ref. D309522008936 validates the extension of the FNP 1007 qualification scope to the PLJ 349 codification. Dec. 12th, 2019 : ***** Warning ***** Any intervention on the product once applied (sanding, grinding, etc.) can emit respirable silica dust : wear a P3 mask !

**Utilities type :** PARC NUCLEAIRE

**Technical sheet :** FT FNP305 ENG.pdf

## Codifications published

| Série | Groupe |
|---|---|
| PLB PLE PLF PLH PLJ | 349 |

## Coat list

| Coat number | Product name | Thickness | Nature of the binder | Type of phase | Proportion of solvent |
|---|---|---|---|---|---|
| 1 | PRIMAIRE EDO | 250.0 g/m² | Epoxy Polyamide | AQ | 53 |
| 2 | ENDUIT AR 100 | | Enduit supplémentaire | | |
| 3 | ELECTROPERL | 500 µm | Epoxy Polyamine | SS | |
| 4 | -=-=-=-=-=-=-=-=-= | | | | |
| 5 | IMPRESSION W1 | | Primaire polyvalent | SV | 28 |
| 7 | DILUANT ED | | | | |